



Benton County, Arkansas
County Properties Office
215 East Central-Room 305
Phone: 479-464-6168
Email: kati.rose@bentoncountyar.gov

RFB/RFP (Request for Bid/Request for Proposal): 2013 – (2) 2014 Tri-Axle Dump Trucks Bid; 215 E. Central Avenue, Bentonville, Arkansas 72712
Deadline: Wednesday, March 27, 2013 2:00 PM, Local Time
Delivery Location: Benton County Administration Building, Room 305, 215 East Central, Bentonville, Arkansas 72712
Date of Issue and Advertisement: Monday, March 11, 2013

Request for Bid/Request for Proposal
(2) 2014 Tri-Axle Dump Trucks

RFB's/RFP's shall be submitted in sealed envelopes labeled: "2013- (2) 2014 Tri-Axle Dump Trucks Bid" with the name and address of the Proposer.

RFB's/RFP's shall be submitted in accordance with the attached Benton County specifications and RFB/RFP documents attached hereto. Each Bidder/Proposer is required to fill in every blank and shall supply all information requested; failure to do so may be used as basis of rejection.

The undersigned hereby offers to furnish and deliver the articles or services as specified, at the prices and terms stated herein, and in strict accordance with the specifications and general conditions of bidding, all of which are made a part of the offer. This offer is not subject to withdrawal unless upon mutual written agreement by the Bidder/Proposer and County Judge.

Name of Firm: _____
Contact Person: _____ Title: _____
Email: _____ Phone: _____
Business Address: _____
City: _____ State: _____ Zip code: _____
Signature: _____ Date: _____

Benton County, Arkansas
RFB/RFP: "2013- (2) 2014 Tri-Axle Dump Trucks Bid"
Advertisement

Benton County, Arkansas is requesting Bids/Proposals for **2013 - (2) 2014 Tri-Axle Dump Trucks Bid; 215 E. Central Avenue, Bentonville, Arkansas 72712**

To be considered, Bids/Proposals must be received at the Benton County Administration Building, 215 East Central, Room 305, Bentonville, Arkansas before 2:00 pm, Wednesday, March 27, 2013. (Local time)

Forms and addendums can be downloaded from the County's web site at www.bentoncountyar.gov. All questions regarding the qualification process should be directed to Ms. Kati Rose at kati.rose@bentoncountyar.gov or by telephone at 479-464-6168. All questions regarding specifications should be directed to Drew McConnell via email at drew.mcconnell@bentoncountyar.gov or via telephone at 479-271-1052.

Bid/Proposals submitted shall be qualified to do business and licensed in accordance with all applicable laws of the state and local governments where the project is located.

Pursuant to Arkansas Code Annotated 22-9-203 Benton County encourages all qualified small, minority and women business enterprises to bid on and receive contracts for goods, services, and construction. Also, Benton County encourages all general contractors to subcontract portions of their contract to qualified small, minority and women business enterprises.

Benton County reserves the right to reject any and all bids/proposals and to waive irregularities therein, and all Proposers shall agree that such rejection shall be without liability on the part of Benton County for any damage or claim brought by any Proposer because of such rejections, nor shall the Proposer seek any recourse of any kind against Benton County because of such rejections. The filing of any Proposal in response to this invitation shall constitute an agreement of the Proposer to these conditions.

Ad date: March 11, 2013

Benton County Grants & Properties Accounting Administrator

Date

Benton County
RFB/RFP: "2013- (2) 2014 Tri-Axle Dump Trucks Bid"
Section A: General Terms & Conditions

Benton County is requesting 2013 – (2) 2014 Tri-Axle Dump Trucks Bid; 215 E. Central Avenue, Bentonville, Arkansas 72712

1. SUBMISSION OF A BID/PROPOSAL:

- A. A written narrative describing the method or manner in which the Proposer proposes to satisfy requirements of this RFB/RFP.
- B. A description of the Proposer's experience in providing the same or similar services as outlined in the RFB/RFP. This description should include the names of the person(s) who will provide the services, their qualifications, and the years of experience in performing this type of work. Also, include the reference information requested in this RFB/RFP.
- C. Statement should be no more than twenty five (25) pages; single sided, standard, readable, print on standard 8.5x11 papers. Proposers shall also submit a three (3) page (maximum) executive summary. The following items will not count toward the page limitations: appendix, cover sheet, 3-page executive summary, resumes (resumes shall be no more than 1 page per person), and forms provided by Benton County for completion.
- D. Bids/Proposals may be submitted electronically in addition to one (1) hard copy. Please submit your documents on a properly labeled CD. The use of Adobe PDF documents is strongly recommended. Files contained on the CD or electronic media shall not be restricted against saving or printing. The electronic copy shall be identical to the original papers submitted. Electronic copies shall not be submitted via e-mail to County employees.
- E. Bids/Proposals will be reviewed following the stated deadline, as shown on the cover sheet of this document. The names of respondents only will be available after the deadline until a contract has been awarded by the Benton County Quorum Court. All interested parties understand proposal documents will not be available until after a valid contract has been executed.
- F. Bidders/Proposers shall submit a proposal based on documentation published by Benton County.
- G. Bidders/Proposals shall be enclosed in sealed envelopes or packages addressed to Benton County, 215 East Central, Room 305, Bentonville, Arkansas 72712. The name, address of the firm and RFB/RFP name shall be on the outside of the packaging as well as on any packages enclosed in shipping containers or boxes.
- H. Bids/Proposals must follow the format of the RFB/RFP. Bidders/Proposers should structure their responses to follow the sequence of the RFB/RFP.
- I. Bidders/Proposers shall have experience in work of the same or similar nature, and must provide references that will satisfy Benton County. Proposer may furnish a reference list, of clients for whom they have performed similar services and must provide information as requested in this document.

J. Bidders/Proposer is advised that exceptions to any of the terms contained in this RFB/RFP or the attached service agreement must be identified in its response to the RFB/RFP. Failure to do so may lead the County to declare any such term non-negotiable. Proposer's desire to take exception to a non-negotiable term will not disqualify it from consideration for award.

K. Bids/Proposals will need to be received by Wednesday, March 27, 2013, 2:00 PM (local time)

2. WRITTEN REQUESTS FOR INTERPRETATIONS OR CLAIRIFICATION:

No oral interpretations will be made to any firms as to the meaning of specifications or any other contract documents. All questions pertaining to the terms and conditions or scope of work of this bid/proposal must be sent in writing via e-mail to the County Properties office. Responses to questions may be handled as an addendum if the response would provide clarification to the requirements of the bid/proposal. All such addenda shall become part of the contract documents. The County will not be responsible for any other explanation or interpretation of the proposed RFB/RFP made or given prior to the award of the contract.

3. RIGHTS OF BENTON COUNTY IN REQUEST FOR BID/PROPOSAL PROCESS:

In addition to all other rights of Benton County, under state law, the County specifically reserves the following:

- A. Benton County reserves the right to rank firms and negotiate with the highest-ranking firm. Negotiation with an individual Proposer does not require negotiation with others.
- B. Benton County reserves the right to select the bid/proposal that it believes will serve the best interest of the County.
- C. Benton County reserves the right to accept or reject any and all bids/proposals.
- D. Benton County reserves the right to cancel the entire request for bid/proposal.
- E. Benton County reserves the right to remedy or waive technical or immaterial errors in the request for proposal or in proposals submitted.
- F. Benton County reserves the right to request any necessary clarifications, additional information, or proposal data without changing the terms of the bid/proposal.
- G. Benton County reserves the right to make selection of the Proposer to perform the services required on the basis of the original bid/proposals without negotiation.

4. EVALUATION CRITERIAL:

The evaluation criterion defines the factors that will be used by the selection committee to evaluate and score responsive, responsible and qualified bids/proposals. The different evaluation factors are as follows:

- 1) 30 Points-Specialized experience and technical competence of the firm with respect to the type of professional services required;
- 2) 25 Points-Capacity and capability of the firm to perform the work in question including specialized services, within the time limitations fixed for the completion of the project.
- 3) 25 Points-Past record of performance of the firm with respect to such factors as control of costs, quality of work and ability to meet schedules and deadlines; and
- 4) 20 Points-Firm's proximity to and familiarity with the area in which the project is located.

5. COSTS INCURRED BY PROPOSERS:

All expenses involved with the preparation and submission of bids/proposals to the County, or any work performed in connection therewith, shall be borne solely by the Proposer(s). No payment will be made for any responses received, or for any other effort required of, or made by, the Proposer(s) prior to contract commencement.

6. ORAL PRESENTATION:

An oral presentation and/or interview may be requested of any firm, at the selection committee's discretion.

7. CONFLICT OF INTEREST:

- A. The Proposer represents that it presently has no interest and shall acquire no interest, either direct or indirect, which would conflict in any manner with the performance or services required hereunder, as provided in Arkansas Code Annotated 14-14-1202.
- B. The Proposer shall promptly notify Benton County in writing, of all potential conflicts of interest for any prospective business association, interest, or other circumstance which may influence or appear to influence the bidder's judgment or quality or services being provided. Such written notification shall identify the prospective business association, interest or circumstance, the nature of which the Proposer may undertake and request an opinion to the County as to whether the association, interest or circumstance would, in the opinion of the County; constitute a conflict of interest if entered into by the Proposer. The County agrees to communicate with the Proposer its opinion via e-mail or first-class mail within thirty days of receipt of notification.

8. WITHDRAWAL OF BID/PROPOSAL:

A bid/proposal may be withdrawn at any time.

9. LATE BID/PROPOSAL OR MODIFICATIONS:

- A. Bid/proposal and modifications received after the time set for the bid/proposal submittal shall not be considered. Modifications in writing received prior to the deadline will be accepted. The County will not be responsible for misdirected bids/proposals. Proposers should contact the County Properties office at (479)464-6168 to insure receipt of their submittal documents prior to opening time and date listed.
- B. The time set for the deadline shall be local time for Bentonville, Arkansas on the date listed. All bids/proposals shall be received in the County Properties office BEFORE the stated deadline.

10. LOCAL, STATE AND FEDERAL COMPLIANCE REQUIREMENTS:

- A. The laws of the State of Arkansas apply to any purchase made under this request for bid/proposal. Proposers shall comply with all local, state, and federal directives, orders and laws as applicable to this proposal and subsequent contract(s) including but not limited to Equal Employment Opportunity (EEO), Disadvantaged Business Enterprises (DBE), & OSHA as applicable to this contract.

- B. Pursuant to Arkansas Code Annotated 22-9-203 Benton County encourages all qualified small, minority and women business enterprises to bid on and receive contracts for goods, services, and construction. Also, Benton County encourages all general contractors to subcontract portions of their contract to qualified small, minority and women business enterprises.

11. COLLUSION:

The Proposer, by affixing his or her signature to this bid/proposal, agrees to the following: “Proposer certifies that his bid/proposal is made without previous understanding, agreement, or connection with any person, firm or corporation making a bid/proposal for the same item(s) and/or services and is in all respects fair, without outside control, collusion, fraud, or otherwise illegal action.”

12. RIGHT TO AUDIT, FOIA AND JURISDICTION:

- A. Benton County reserves the privilege of auditing a vendor’s records as such records relate to purchases between the County and said vendor.
- B. Freedom of Information Act: County contracts and documents prepared while performing County contractual work are subject to the Arkansas Freedom of Information Act. If a Freedom of Information Act request is presented to Benton County, the (Contractor) will do everything possible to provide the documents in a prompt and timely manner as prescribed in the Arkansas Freedom of Information Act (A.C.A. 25-19-101 et.seq.) Only legally authorized photocopying costs pursuant to the FOIA may be assessed for this compliance.
- C. Legal jurisdiction to resolve any disputes shall be Arkansas with Arkansas law applying to the case.

13. COUNTY INDEMNIFICATION:

The successful Proposer(s) agrees to indemnify the County and hold it harmless and against all claims, liability, loss, damage or expense, including but not limited to counsel fees, arising from or by reason of any actual or claimed trademark, patent or copyright infringement or ligation based thereon, with respect to the services or any part thereof covered by this order, and such obligation shall survive acceptance of the services and payment thereof by the County.

14. VARIANCE FROM STANDARD TERMS & CONDITIONS:

All standard terms and conditions stated in this request for bid/proposal apply to this contract except as specifically stated in the subsequent sections of this document, which take precedence, and should be fully understood by Proposers prior to submitting a bid/proposal on this requirement.

15. PAYMENT AND INVOICING:

The Proposer must specify in their bid/proposal the exact company name and address which must be the same as invoices submitted for payment as a result of award of this RFB/RFP. Further, the successful Proposer is responsible for immediately notifying the County Properties office of any company name change, which would cause invoicing to change from the name used at the time of the original RFB/RFP.

16. CANCELLATION:

- A. The County reserves the right to cancel this contract without cause by giving thirty (30) days prior notice to the Contractor in writing of the intention to cancel or with cause if at any time the Contractor fails to fulfill or abide by any of the terms or conditions specified.
- B. Failure of the contractor to comply with any of the provisions of the contract shall be considered a material breach of contract and shall be cause for immediate termination of the contract at the discretion of Benton County.
- C. In addition to all other legal remedies available to Benton County, the County reserves the right to cancel and obtain from another source, any items and/or services which have not been delivered within the period of time from the date of order as determined by Benton County.
- D. In the event sufficient budgeted funds are not available for a new fiscal period, the County shall notify the vendor of such occurrence and contract shall terminate of the last day of the current fiscal period without penalty of expense to the County.

17. ASSIGNMENT, SUBCONTRACTING, CORPORATE ACQUISITIONS AND/OR MERGERS:

- A. The Contractor shall perform this contract. No assignment of subcontracting shall be allowed without prior written consent of the County. If a Proposer intends to subcontract a portion of this work, the Proposer shall disclose such intent in the proposal submitted as a result of this RFB/RFP.
- B. In the event of a corporate acquisition and/or merger, the Contractor shall provide written notice to the County within thirty (30) calendar days of Contractor's notice of such action or upon the occurrence of said action, whichever occurs first. The right to terminate this contract, which shall not be unreasonably exercised by the County, shall include, but not limited to, instances in which a corporate acquisition and/or merger represent a conflict of interest or are contrary to any local, state, or federal laws. Action by the County awarding a proposal to a firm that has disclosed its intent to assign or subcontract in its response to the RFB/RFP, without exception shall constitute approval for purpose of this Agreement.

18. NON-EXCLUSIVE CONTRACT:

Award of this RFB/RFP shall impose no obligation on the County to utilize the vendor for all work of this type, which may develop during the contract period. This is not an exclusive contract. The County specifically reserves the right to concurrently contract with other companies for similar work if it deems such an action to be in the County's best interest. In the case of multiple-term contracts, this provision shall apply separately to each item.

19. ADDITIONAL REQUIREMENTS:

The County reserves the right to request additional services relating to this RFB/RFP from the Proposer. When approved by the County as and amendment to the contract and authorized in writing prior to work, the Contractor shall provide such additional requirements as may be necessary.

20. SERVICES AGREEMENT:

A written agreement, in substantially the form attached, incorporating the RFB/RFP and the successful bid/proposal will be prepared by the County, signed by the successful Proposer and presented to Benton County for approval and signature of the County Judge.

21. INTEGRITY OF REQUEST FOR BID/PROPOSAL DOCUMENTS:

Proposers shall use the original RFB/RFP form(s) provided by the County Properties office and enter information only in the spaces where a response is requested. Proposers may use an attachment as an addendum to the RFB/RFP form(s) if sufficient space is not available on the original form for the Proposer to enter a complete response. **Any modifications or alterations to the original RFB/RFP documents by the Proposer, whether intentional or otherwise, will constitute grounds for rejection of such RFB/RFP response.** Any such modifications or alterations a Proposer wishes to propose shall be clearly stated in the Proposer's RFB/RFP response and presented in the form of an addendum to the original RFB/RFP documents.

22. OTHER GENERAL CONDITIONS:

- A. Proposers must provide the County with their proposals signed by an employee having legal authority to submit proposals on behalf of the Proposer. The entire cost of preparing and providing responses shall be borne by the Proposer.
- B. The County reserves the right to request any additional information it deems necessary from any or all Proposers after the submission deadline.
- C. The request for proposal/bid is not to be construed as an offer, a contract, or a commitment of any kind, nor does it commit the County to pay for any costs incurred by proposer in preparation. It shall be clearly understood that any costs incurred by the Proposer in responding to this request for bid/proposal is at the Proposer's own risk and expense as a cost of doing business. The County shall not be liable for reimbursement to the Proposer for any expense so incurred, regardless of whether or not the bid/proposal is accepted.
- D. If products, components, or services other than those described in this bid/proposal document are proposed, the proposer must include complete descriptive literature for each. All requests for additional information must be received within five working days following request.
- E. Any uncertainties shall be brought to the attention of Ms. Kati Rose immediately via telephone (479) 464-6168 or by e-mail at krose@co.benton.ar.us. It is the intent and goal of Benton County to provide documents providing a clear and accurate understanding of the scope of work to be completed and/or goods to be provided. We encourage all interested parties to ask questions to enable all proposers to be on equal proposal terms.
- F. Any inquiries or requests for explanation in regard to the County's requirements should be made promptly to Ms. Kati Rose, Benton County, via e-mail at krose@co.benton.ar.us or telephone at (479)-464-6168. No oral interpretation or clarifications will be given as to the meaning of any part of this request for proposal. All questions, clarifications, and requests, together with answers, if any will be provided to all

firms via written addendum. Names of firms submitting any questions, clarifications, or requests will not be disclosed until after a contract is in place.

- G. At the discretion of the County, one or more firms may be asked for more detailed information before final ranking of the firms, which may also include oral interviews. NOTE: Each Proposer shall submit an "Authorized Negotiator Form" containing the signature of a duly authorized officer or agent of the Proposer's company empowered with the right to bind and negotiate on behalf of the Proposer for the amounts and terms proposed.
- H. Any information provided herein is intended to assist the Proposer in the preparation of bid/proposals necessary to properly respond to this RFB/RFP. The RFB/RFP is designed to provide qualified Proposers with sufficient basic information to submit bid/proposals meeting specifications and/or test requirements, but is not intended to limit a RFB/RFP's content or exclude any relevant or essential data.
- I. Proposers irrevocably consent that any legal action or proceeding against it under, arising out of or in any manner relating to this Contract shall be controlled by Arkansas law. Proposer hereby expressly and irrevocably waives any claim or defense in any said action or proceeding based on any alleged lack of jurisdiction or improper venue or any similar basis.
- J. The successful Proposer shall not assign the whole or any part of this Contract or any monies due or to become due hereunder without written consent of Benton County. In case the successful Proposer assigns all or any part of any monies due or to become due under this Contract, the Instrument of assignment shall contain a clause substantially to the effect that is agreed that the right of the assignee in and to any monies due or to become due to the successful Proposer shall be subject to prior liens of all persons, firms, and corporations for services rendered or materials supplied for the performance of the services called for in this contract.
- K. The successful Proposer's attention is directed to the fact that all applicable Federal and State laws, County and municipal ordinances, and the rules and regulations of all authorizes having jurisdiction over the services shall apply to the contract throughout, and they will be deemed to be included in the contract as though written out in full herein. The successful Proposer shall keep himself/herself fully informed of all laws, ordinances and regulations of the Federal, State, County and municipal governments or authorities in any manner affecting those engaged or employed in providing these services or in any way affecting the conduct of the services and of all orders and decrees of bodies or tribunals having any jurisdiction or authority over same. If any discrepancy or inconsistency should be discovered in these Contract Documents or in the specifications herein referred to, in relation to any law, ordinance, regulation, order or decree, he/she shall herewith report the same in writing to Benton County.

Benton County
RFB/RFP: "2013- (2) 2014 Tri-Axle Dump Trucks Bid"
Section B: Authorization Form

PLEASE FILL OUT THE SECTION BELOW AND SUBMIT THIS FORM WITH YOUR BID/PROPOSAL

A. I, as an officer of this organization, or per the attached letter of authorization, am duly authorized to certify the information provided herein are accurate and true;

Printed Name

Signature

Title

Date

Please provide contact information:

Company Name: _____

Phone: _____

Address: _____

Fax: _____

Email: _____

City: _____

Web Site: _____

State: _____ Zip Code: _____

Benton County
RFB/RFP: "2013- (2) 2014 Tri-Axle Dump Trucks Bid"
Section C: Vendor References

The following information is required from all Proposers so all bids/proposals may be reviewed and properly evaluated:

COMPANY NAME: _____

BUSINESS ADDRESS: _____

NUMBER OF YEARS IN BUSINESS: _____ HOW LONG IN PRESENT LOCATION: _____

TOTAL NUMBER OF CURRENT EMPLOYEES: _____ FULL TIME: _____ PART TIME: _____

NUMBER OF EMPLOYEES YOU PLAN TO USE TO SERVICE THIS CONTRACT: _____

FULL TIME: _____ PART TIME: _____

PLEASE LIST LOCAL COMMERCIAL AND/OR GOVERNMENTAL REFERENCES THAT YOU HAVE PREVIOUSLY PERFORMED SIMILAR CONTRACT SERVICES FOR WITHIN THE PAST FIVE (5) YEARS.

1. _____

2. _____

COMPANY NAME

COMPANY NAME

CITY, STATE, ZIP

CITY, STATE, ZIP

CONTACT PERSON

CONTACT PERSON

TELEPHONE

TELEPHONE

FAX NUMBER

FAX NUMBER

E-MAIL ADDRESS

E-MAIL ADDRESS

3. _____

4. _____

COMPANY NAME

COMPANY NAME

CITY, STATE, ZIP

CITY, STATE, ZIP

CONTACT PERSON

CONTACT PERSON

TELEPHONE

TELEPHONE

FAX NUMBER

FAX NUMBER

E-MAIL ADDRESS

E-MAIL ADDRESS

Benton County
RFB/RFP: "2013- (2) 2014 Tri-Axle Dump Trucks Bid"
Section D: Statement of Disclosure

Proposer must disclose any possible conflict of interest with Benton County, including, but not limited to, any relationship with any Benton County employee. Your response must disclose if a known relationship exists between any principal or employee of your firm and any Benton County employee or County elected official.

If, to your knowledge, no relationship exists, this should also be stated in your response. Failure to disclose such a relationship may result in cancellation of a purchase and/or contract as a result of your response. This form must be completed and returned in order for your bid/proposal to be eligible for consideration.

PLEASE CHECK ONE OF THE FOLLOWING: AS IT APPROPRIATELY APPLIES TO YOUR FIRM:

_____ **NO KNOWN RELATIONSHIP EXISTS**

_____ **RELATIONSHIP EXISTS (Please explain)**

PLEASE FILL OUT THE SECTION BELOW:

1. I, as an officer of this organization, or per the attached letter of authorization, am duly authorized to certify the information provided herein are accurate and true; and
2. My organization shall comply with all State and Federal Equal Opportunity and Non-Discrimination requirements and conditions of employment.

Printed Name

Signature

Date

Benton County
RFB/RFP: "2013- (2) 2014 Tri-Axle Dump Trucks Bid"
Section E: Authorized Negotiator Information

At the discretion of the County, one or more firms may be asked for more detailed information before final ranking of the firms, which may also include oral interviews. **NOTE: Each Proposer shall submit to the County a primary contact name, e-mail address, and phone number (preferably a cell phone number) where the County selection committee can contact for clarification or interview via telephone.**

PRIMARY CONTACT INFORMATION

Name of Firm: _____

Name of Primary Contact: _____

Title of Primary Contact: _____

Phone number #1 (cell phone): _____ **Secondary Phone#:** _____

E-Mail Address: _____

Is the primary contact (listed in part 1) able to legally bind contracts? YES NO (circle one)

In no, please list contact that can legally bind a contract for the firm: _____

Name: _____

Title: _____

Phone #1 (cell phone): _____ Phone 2: _____

E-Mail Address: _____

Signed: _____

Date: _____

Benton County

RFB/RFP: "2013- (2) 2014 Tri-Axle Dump Trucks Bid"

Section F: Specifications

Benton County Road Department

Specifications for 2014 Tri-Axle Dump Trucks (2)

It is the intent of these specifications to describe the equipment in sufficient detail to secure bids on comparable items. Any items not conforming to these specifications will be rejected, and it will be the responsibility of the vendor to conform to the requirements unless deviations have been specifically cited by the bidder and acceptance made on the basis of the exception. All bids must meet or exceed the specifications.

- A. Deliver to the County two (2) 2014 Chassis with 2013 Emissions with SCR and OBD. The chassis will be equipped with 16 Foot Elliptical Dump Body see attached specifications. Successful bidder must provide parts and service facilities within 30 miles of Bentonville, AR.
- B. ENGINE & EQUIPMENT
 - 1. 12.9 Liter 455HP 1650TQ@1000RMP
 - 2. Engine monitoring protection-shutdown.
 - 3. Engine brake
 - 4. Air compressor: WABCO 28 CFM
 - 5. Air cleaner: Powercore engine10 in. (w/constant torque SS clamps, pop-up indicator. Holds 10% more fine dust than 2500. Pop-up indicator is standard.)
 - 6. Fan hub: Horton 2-speed.
 - 7. Cooling Module: 1440 square inches. (clog resistant. On-off fan hub, nylon fan blade, translucent top tank, air-to-air heat exchanger/aftercooler, silicone hoses w/constant torque clamps, long life coolant.)
 - 8. Radiator bug screen mounted between hood & grill.
 - 9. RH under cab DPF/SCR w/RH SOC vertical tailpipe.
 - 10. Tailpipe: 5 in. single 24 in. 45 degree curved.
 - 11. Fuel filter/water separator: return fuel heat w/integral thermostat.
 - 12. Fuel cooler for single fuel tank.
 - 13. Immersion block heater 120 V 1500W w/plug under door.
 - 14. Alternator: 130 amp brushless.
 - 15. Batteries: (3) GP31 threaded post (700) 2100 CCA dual purpose.
 - 16. Starter; 12 volt electrical system. W/centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12 volt light system w/circuit protection circuits number & color coded.
 - 17. Multi-function engine connector for body builder.
- C. TRANSMISSION & CLUTCH
 - 1. Transmission: Fuller RTO16908LL 10speed w/pump & oil cooler. Standard with Synthetic lubricant.

2. Clutch: Eaton 4 paddle ceramic 1650 lb-ft Eaton 15 ½ in. easy pedal advantage manual adjust clutch cover. Torque limiting clutch brake. Severe duty pilot bearing. Synthetic lubrication for Eaton Fuller & axles. Extended grease fittings.
3. Grease bank for clutch & cross shaft.
4. Driveline: 2 SPL205XL 1 Centerbearing, requires interaxle driveline.
5. Chassis will be fitted w/LH transmission PTO.
6. 14IN. Eaton Fuller high capacity oil to water cooler standard for transmission.

D. FRONT AXLE & EQUIPMENT

1. Dana Spicer E-1462W Front axle rated 14.6, 3 ½ in. drop, wide track for better turning radius.
2. Front brakes: 14,600 LBS. Bendix ES s-cam 16 ½ x 5 in.
3. Front brake drum: 14,600 LBS. 16 ½ x 5 in. cast.
4. Front hub: 14,600 LBS. aluminum hub pilot 10 bolt, 11 ¼ in. bolt circle.
5. Front low maintenance hub package Dana Spicer. Includes adjustment free half tolerance bearings.
6. Hubcap: front vented.
7. Front auto slack adjuster.
8. Front springs: taperleaf 16K w/shock absorbers w/maintenance-free elastomer spring pin bushings. Standard with rubber pins.
9. Single power steering gear: 16K TRW TAS85.

E. REAR AXLE & EQUIPMENT

1. Dual Dana Spicer D46-170H rear axle rated at 46K. w/16mm housing and 2.06 shaft diameter. Tandem rear axles.
2. Rear axle ratio: 4.10
3. Dual rear brakes 16 ½ x 7in. to 46K.
4. Dual rear brake drums: Cast.
5. Dual rear hubs; aluminum hub pilot 46K 11 ¼ bolt circle.
6. Dual rear low maintenance hub package Dana Spicer. Includes adjustment free half tolerance bearings, extended life oil seals, and a precision bearing spacer.
7. Dual rear axle automatic slack adjusters.
8. Spring brake: 3030 high output dual.
9. Bendix 4S/4M anti-lock brake system. Current generation ECU is Bendix ABS 6.
10. Inverted chambers for 16 ½ x 7 in. brakes; replace standard mount w/higher mount.
11. Interaxle driveline 1 SPL170XL.
12. Wheel differential lock for Dana Spicer axles, forward rear axle and rear rear axle.
13. Rear suspension: tandem Hendrickson HMX460 46K. 54 in. axle spacing. w/shocks, track rods, rubber bolster bushings & 17.5 in. saddle height.

14. 1 steerable pusher axle Watson-Chalin Tru Track 13.2K Tru Track Alumilite; includes axle.
15. 1 steerable pusher Dana Spicer ES S-cam 15x4 in.
16. 1 steerable pusher brake drums.
17. 1 steerable pusher hubs aluminum hub pilot 10-bolt to 13.2K use w/15x4 in. 11 ¼ in. bolt circle.
18. Automatic slack adjusters for 1 steerable pusher.
19. Dana Spicer LMS hub package for 1 steerable pusher. Includes adjustment free half tolerance bearings, extended life oil seals, and a precision bearing spacer.
20. Vented hubcabs for 1 steerable pusher.
21. Pusher: gauge flip valve and pressure regulator dash-mounted.
22. 1st pusher location: 52 in. from c/l forward tandem axle.

F. TIRES & WHEELS

1. Front tires: Bridgestone M843 11R22.5 16PR
2. REAR TIRES: Bridgestone L320 11R22.5 16PR
3. 1 steerable pusher: 2 Bridgestone R260F 295/75R22.5 14PR
4. Front wheel: Accuride 50291RPW white 22.5 x 8.25 heavy-duty 22.5 x 8.25; steel white e-coat, hub pilot mount. 8000 maximum rating. 2 hand holes. Air disc brake compatible.
5. Rear wheel: Accuride 50344PW 22.5 x 8.25 heavy duty 5 hand hole hub pilot mount, white e-coat, 8000 lb. maximum rating. Air disc brake compatible.
6. 1 steerable pusher wheel: 2 Accuride 50344PW HD 22.5 x 8.25; steel white e-coat, hub pilot mount.

G. FRAME & EQUIPMENT

1. Frame rails: 10 ¾ X 3 ½ X 3/8 in section modules is 17.80 RBM IS 2,132,000 for outer frame.
2. Full steel insert: for 10 ¾ in. 2ND INSERT FOR 11 5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM.
3. Frame strength total RBM 328,1000,000.
4. Bumper: straight steel, painted channel.
5. Front tow hook: center mounted, cast. Requires iron front drive brackets.
6. Front mudflaps.
7. Battery box cantilever aluminum BOC w/fiberglass cover.
8. Battery box location: LH side.
9. Polished DPF/SCR cover: with step for use w2010 style exhaust.
10. Heavy duty BOC crossmember assembly.
11. Rear mudflap arms: Betts B-25 standard duty.
12. Rear mudflap shields: white plastic antisail.
13. Straight crossmember for pintle hook mounting.

H. FUEL TANK & EQUIPMENT

1. Fuel tank: 90 US gallon 24.5in. aluminum w/anti siphon device on filler neck.
 2. Small round DEF tank. 11 gallons of useable volume.
 3. DEF tank location is on the LH.
 4. LOCATION: 90 gallon fuel tank LH under cab.
1. CAB & EQUIPMENT
1. Cab: extended day cab w/curved glass. Includes aluminum fully hucked cab w/all aluminum bulkhead doors & continuous stainless steel piano styled door hinge 7 pins. 127 in. BBC 80 in. FA to BOC. incandescent exterior lights include diagnosable bulb detention and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection, short and open check diagnostics, and programmable daytime running lights.warning alarm will sound when lights are left on.
 2. Hood: sloped Metton hood w/grill & shell use for truck. 1 piece requires engine mounted air cleaner, 1440 square in.
 3. Cab heater: w/integral defroster & AC 45,000 btu cab heater. Includes 5 mode rotary control.
 4. Steering wheel: 18 in. 4 spoke.
 5. Adjustable telescoping tilt steering column.
 6. Gauge: dash mounted air filter restriction gauge.
 7. Gauge: engine oil temperature gauge w/integral warning light.
 8. Gauge: manifold pressure gauge.
 9. Gauge: oil temperature gauge transmission.
 10. Driver information center: includes fuel economy, RPM display, trip information, truck information, diagnostics, gear display, alarm clock.
 11. Instrument package: includes speedometer, tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary and secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included. Engine hour meter and outside air temperature readouts are standard.
 12. Cab interior: splendor. Includes smooth upholstered side & backpanels w/stitched accent lines, upholstered door pads, full vinyl headliner, blackdash panels & black rubber floor mats.
 13. Interior color: slate gray w/trim dark slate gray.
 14. Driver seat: air cushion plus 1B vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/2-position tilt and 2-position front cushion extension.
 15. Rider seat: toolbox plus 1B vinyl. w/dual armrests.
 16. Seat color: dark slate gray.

17. Radio: AM/FM/weather band. W/LED lighting.
18. Solid post antenna: mounted on LH cowl. Replaces top-of-cab antenna.
Recommended for dump trucks.
19. Non-self cancelling turn signal: w/column-mounted headlight dimmer switch & intermitten wiper control.
20. Electric LH & RH door locks.
21. Long grab handles RH & LH side of cab.
22. Grabhandles LH & RH inside door frame above dash.
23. Daylite door: LH/RH included, RH peeper window.
24. Dual rectangular air horn 23 in. LH & RH top of roof. Include air horn covers.
25. Single convex mirror 8 ½ in. x 4 7/16 in. located on rider side, and non-heated.
26. Mirror: dual purtsman fixed heated mirrors 7 in. x 16 in. includes 7 ½ in. convex mirror, RH.
27. Manual LH & electric-powered RH door window. Switch located on door.
28. Two corner & one rear cab stationary windows 17.5 in. x 16 in. (two) & 17 in. x 36 in. (one)
29. One piece windshield, w/curved glass.
30. Exterior aerodynamic sunvisor w/integral marker lights.
31. Link cabmate suspension. (air-ride cab)

J. LIGHTS & INSTRUMENTS

1. Headlamps; dual rectangular, extended life halogen.
2. Marker lights: five aerodynamic mounted in suvvisor.
3. Turn signal lights: mounted on fender.
4. LED stop/turn/tail – flange mounted with two LED backup lights.
5. Marker lights: interrupter switch.

K. AIR EQUIPMENT

1. AIR DRYER: Bendix AD-IS extended purge heated. With Puraguard.
2. Moister ejection valve w/pull chain drain.
3. Full truck kit: gladhands mounted at end of frame. Seven-way female receptacle mounted at end- of- frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves.
Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.
4. Air tanks: clear of left side of transmission area.
5. Trailer ABS electric supply through SAE J560 7-pin connector per TMC RP137.

L. MISCELLANEOUS

1. Triangle reflector kit. Kit consists of 3 triangles in a plastic carrying case.
2. One 5 lb. dry chemical type fire extinguisher mounted outboard of driver seat.

M. PAINT

1. White/ base coat /clear coat.

UM	Quantity	Item	Unit Price
EA	1.000	1437718	MAB HPTB 15/17YD 16x7
		Body Length (ft):	16
		Body Id (inch):	84
		Body OD:	96
		Hoist Model:	HPT 63-140 front mount telescopic
		Hydraulics:	• Less Hydraulics
		Understructure:	3/16" high tensile steel, fabricated trapazoid, fully boxed 10" longmembers
		Understructure Spacing:	N/A - Crossmemberless
		Yardage:	15.2/17.9
		Front Height (inches):	56
		Side Style:	Elliptical
		Side Height (inches):	44
		Tailgate Height (inches):	52
		Front Material:	• 1/4" AR400
		Side Material:	• 1/4" AR400
		Tailgate Material:	• 1/4" AR400
		Floor Material:	• 1/4" AR400
		Side Bracing:	NA
		Rear Pillar Width:	10.25
		Tailgate Release:	• Air/Air with overcenter installed
		Tailgate Bracing Style:	Three panel design, 2 horizontal (standard)
		Tailgate Hardware:	1" flame cut offset TG hinge, 1-1/2" upper TG pin, 1-1/4" lower TG pin
		Front Pillar:	None
		Light Hole:	Standard -- round with 1 oval (minimum tailgate height 26 inch)
		Light Carton:	LED light kit with harness
		Cab Shield:	• 1/2 SIZE C/S DURACCLASS, 10GA.
		Spill Apron:	• 12" Bolt-On
EA	1.000	1500169	1/2 SIZE C/S DURACCLASS, 10GA.
EA	1.000	1500154	LED LIGHT KIT LESS HARNESS
EA	1.000	1500264	DURACCLASS WIRING HARNESS
EA	1.000	1500289	AIR/AIR TAILGATE CONTROL KIT
EA	1.000	1545708	12" SPILL APRON (1/4" HITEN.)
EA	1.000	1252002	HPT63-140 HS7 CYLINDER, CHROME
EA	1.000	1500290	HPT63 QUICK MOUNT MOUNTING KIT
EA	1.000	1500068	VENT VALVE
EA	1.000	1500233	HPT63 QM DURACCLASSIC TRUNNION (STK)
EA	1.000	1283750	ASSEMBLY HINGE REAR WELD LARGE (STC)
EA	2.000	1323169	KIT BODY PROP TBEI (STD)

NOTICE TO BIDDERS

- 1. Bidders must state exceptions to the bid. This will be a list of what is not on the bid specs and what exceeds bid request.**
- 2. Bidders must state delivery.**
- 3. The lowest price will NOT determine the awarding of the bid. We will look at each quote on the equipment such as delivery dates, extra features, warranties and the trade allowance: this will be along with the price.**

DELIVERY DATE: _____

CHASSIS MODEL: _____

CHASSIS MAKE: _____

Attachment A

COST SHEET

Description	Qty	2013 Bid Unit Price
2014 Tri-Axle Dump Truck	2	

Bid must include Attachment A

Benton County
RFB/RFP: "2013- (2) 2014 Tri-Axle Dump Trucks Bid"
Section H: Statement of No Submittal-If Applicable

In order to assist Benton County in evaluating and improving our solicitation process, we are asking for completion of this form and returning via fax or email. By submitting this form, it will assist us in evaluating all response, improving our bid/proposal process, and to maintain a positive relationship with our vendors.

We, the undersigned, have declined to submit a bid/proposal for the following reason(s):

1. _____ We do not offer this service/product
2. _____ Our schedule would not permit us to perform
3. _____ Unable to meet specifications
4. _____ Insufficient time to respond to the request
5. _____ We are unable to meet bond requirements
6. _____ Other (Explain)

NAME OF FIRM: _____

BUSINESS ADDRESS: _____

CITY: _____ STATE: _____ ZIP CODE: _____

PHONE: _____ FAX: _____

BY: _____

AUTHORIZED SIGNATURE: _____

TITLE: _____ DATE: _____

*Please note: We appreciate your feedback on this form and are very interested in your reason for not submitting. Please do not hesitate to contact us at (479) 464-6168 if you have questions, comments, or concerns regarding these proposal documents.